

AC MVS Lips Sample Formulations

Code: AC MVS Lips
INCI Name: Glycine Soja (Soybean) Seed Extract & Glycyrrhiza Glabra (Licorice) Leaf Extract & Phospholipids
CAS #: 9010-10-0 & 84775-66-6 & 123465-35-0
EINECS #: 232-720-8 & 283-895-2 & N/A

Sample Finished Formulation Guidelines

Plumping Lip Gloss
FNHP02-15 – Plumping Lip Gloss



Tomorrow's Vision... Today!

Plumping Lip Gloss Formulation Code: FNHP02-15

Ingredient	Trade Name/Vendor	%
Phase I		
Simmondsia Chinensis (Jojoba) Seed Oil	Biomimetic Jojoba Oil Clear/Active Concepts	11.25
Olea Europaea (Olive) Fruit Oil	AC Olive Oil Clear/Active Concepts	14.25
Prunus Amygdalus Dulcis (Sweet Almond) Oil	AC Almond Oil/Active Concepts	19.00
Squalane	ABS Amaranthus Squalane/Active Concepts	1.75
Tocopheryl Acetate	RITA Vitamin E Acetate/ RITA	2.00
Beeswax	White Beeswax/ Strahl & Pitsch	6.25
Butyrospermum Parkii (Shea Butter)	CO Shea Butter/ Kinetik Technologies	10.00
Hydrogenated Coco-Glycerides	Softisan 100/ Sasol	10.00
Sambucus Nigra Fruit Extract	Phytocide Elderberry OS/ Active Micro Technologies	3.00
Euterpe Oleracea Sterols & Linoleic Acid & Oleic Acid & Linolenic Acid	ABS Acai Sterols EFA/Active Concepts	3.00
Glycine Soja (Soybean) Seed Extract & Ceramide 3	AC Phyto Oil C3/Active Concepts	2.00
Bis-Diglyceryl Polyacyladipate-2	Softisan® 649/ Sasol	6.50
Phase II		
Glycine Soja (Soybean) Seed Extract & Phospholipids & Glycyrrhiza Glabra (Licorice) Leaf Extract & Citrus Limon (Lemon) Peel Extract	AC MVS Cooling/ Active Concepts	10.00
Flavor/Fragrance (Optional)	N/A	1.00

Manufacturing Process:

Phase I: Combine Phase I ingredients using propeller agitation and heat to 78°-80°C. Mix for 15 minutes.

Phase II: Begin force cooling. When temperature cools to 60°C switch mixing to side sweep agitation. Charge in Phase II ingredients and mix down to 40°C. Pour into suitable containers.