

Tradename: ABS White Willow Bark Extract Powder

Code: 10229

CAS#: 84082-82-6

Test Request Form #: 7659

Lot #: 77060P

Sponsor: Active Concepts, LLC; 107 Technology Drive Lincolnton, NC 28092 **Study Director:** Maureen Danaher **Principle Investigator:** Jennifer Goodman

Test Performed: Cellular Renewal Assay

Abstract:

ABS White Willow Bark Extract Powder was evaluated for its ability to accelerate cell renewal by means of a traditional skin pigmentation assay protocol.

Skin cells are frequently exposed to ultraviolet light damage and other chemical and environmental aggregates. Their death and replacement through cellular renewal processes minimize the potential longer-term harmful effects of these exposures. Aiding in the processes of cellular renewal can improve the skin's physical appearance as well as function as a protective barrier.

Dermal Dye Max[™] was used to induce skin pigmentation. The active ingredient in Dermal Dye Max[™] is dihydroxyacetone (DHA), also known as glycerone, and is a simple saccharide.

Materials:

- **A. Equipment:** DermaLab Skin Combo (Pigmentation Probe) Pipettes
- **B. Reagents:** Dermal Dye Max[™] (Alpine Valley Naturals); Cetaphil Moisturizing for All Skin Types; Synthetic Salicylic Acid (positive control)

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind. expressed or implied, other than that the material conforms to the applicable standard specification.



Methods:

10 volunteers, male and female, between the ages of 20 and 45 and who were known to be free of any skin pathologies participated in this study. Derma Dye Max[™] was applied to four identified test patches on the volar forearm. The dye was left to develop for 24 hours prior to baseline readings. A fifth skin patch was identified as the skin baseline control and no dye nor treatment were applied to this site. Post dye development and prior to the initial application, baseline DermaLab pigmentation index readings were taken for all five identified sites.

Approximately 0.2 g of each lotion treatment, 1% synthetic salicylic acid, 2% **ABS White Willow Bark Extract Powder**, and the base formula were applied to three 2cm x 2cm respective locations on the volar forearm. The fourth test site was left untreated as a dye baseline test site. Readings were taken every 24 hours until the active test site returned to baseline. After each daily reading, treatment of each respective test site was performed following the same parameters listed above.

Results:


ABS White Willow Bark Extract Powder was able to return the test site to baseline pigmentation readings in four days.

Pigmentation percent change was calculated for all four dye location test site readings for each respective day, using the equation below.


 $Percent (\%) Change = \frac{Pigmentation Index_{Sample Site} - Pigmentation Index_{Skin Control Site}}{Pigmentation Index_{Skin Control Site}} \times 100$


Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infrincement of any patent. We make no warranty of any kind. expressed or implied, other than that the material conforms to the apolicable standard specification.





Pigmentation ABS White Willow Bark Extract Powder





Pigmentation Percent Change ABS White Willow Bark Extract Powder

Figure 2: Percent Change in Pigmentation

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.



Discussion:

The results indicate that **ABS White Willow Bark Extract Powder** is capable of increasing cellular renewal when compared to the untreated skin dye control site. Cellular renewal is beneficial for visibly improving skin tone and texture as well as aiding in the skin's function as a protective barrier from harmful chemical and environmental exposure that can lead to premature aging.

As seen in Figure 2, **ABS White Willow Bark Extract Powder** had the greatest percent change reduction back to baseline when compared to all other test controls. **ABS White Willow Bark Extract Powder** outperformed the synthetic salicylic acid positive control in the induction of cellular renewal and was able to return skin to the untreated baseline pigmentation readings. **ABS White Willow Bark Extract Powder** induced a 95.6% change in pigmentation over the course of four days compared to the synthetic salicylic acid positive control which only induced a 93.8% change in pigmentation. It can therefore be concluded that at normal use concentrations, **ABS White Willow Bark Extract Powder** contributes to cellular renewal, indicating a healthier, more vibrant skin tone and helping to reverse the signs of aging.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infrincement of any patent. We make no warranty of any kind. expressed or implied, other than that the material conforms to the applicable standard specification.