

ACTIVE CONCEPTS LLC

107 Technology Drive, Lincolnton | NC 28092 USA • <u>info@activeconceptsllc.com</u> • Phone: +1-704-276-7100 • Fax: +1-704-276-7101 • <u>https://activeconceptsllc.com/</u>

Tradename: ACB Modified Pomegranate Enzyme PF

Code: 20440PF

CAS #: 84961-57-9 & 1686112-10-6 (or) 84775-94-0 (or) 9015-54-7

Test Request Form #: 8806

Lot #: 8636000

Sponsor: Active Concepts, LLC; 107 Technology Drive Lincolnton, NC 28092 **Study Director:** Maureen Drumwright **Principal Investigator:** Grant Tyler

Test Performed:

Transepidermal Water Loss (TEWL) Study

Introduction

As the largest human organ, the skin's integrity is critical to properly function as a physical barrier and maintenance of a heathy appearance for aesthetics. Moisture retention is a fundamental component to the preservation of the skin's protective barrier function. Transepidermal water loss (TEWL) is the passive evaporation of water across the stratum corneum to the external environment because of the water vapor pressure gradient on both sides of the skin barrier. In healthy skin, TEWL is inversely proportional to skin hydration (i.e., decreased TEWL indicates properly hydrated skin). However, when the skin's protective barrier is compromised, TEWL levels are high and the skin feels dry, flaky, and rough. High TEWL levels, and reduced skin hydration, are correlated with skin aging and seen in many skin diseases. Consequently, moderating excessive TEWL improves the skin's protective barrier function and contributes to the appearance of healthier looking skin.

Accordingly, a transepidermal water loss study was conducted to evaluate the immediate and short-term moisture retention properties of **ACB Modified Pomegranate Enzyme PF**.

Study Principle

TEWL measurements are made by placing a probe on the skin of preidentified test sites. By assessing changes in local humidity above ambient values the TEWL probe measures changes in water vapor density in a defined area over time. The controls and test materials are applied to the skin test sites once and TEWL is measured at four time increments within a 24-hour period.

Materials

- A. Equipment: DermaLab Skin Combo (Transepidermal Water Loss Probe)
- B. Products: Base Lotion (Cetaphil® Moisturizing Cream for All Skin Types)
- C. Software: Excel Analysis ToolPak (Microsoft)

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.



ACTIVE CONCEPTS LLC

107 Technology Drive, Lincolnton | NC 28092 USA • <u>info@activeconceptsllc.com</u> • Phone: +1-704-276-7100 • Fax: +1-704-276-7101 • <u>https://activeconceptsllc.com/</u>

Methods

20 volunteers between the ages of 23 and 45, who were known to be free of any skin pathologies with Fitzpatrick skin types I to IV, participated in this study (Table 1).

Fitzpatrick Skin Type Descriptions*			
Skin Type	Description		
I	Always burns, never tans		
	Burns easily, tans minimally		
III	Burns moderately, tans to light brown		
IV	IV Burns minimally, tans to moderate brown		
V	/ Rarely burns, tans to dark		
VI	Never burns, least sensitive to changes		
*Adapted from The Surgeon General's Call to Action to Prevent Skin Cancer			

Three randomly assigned test sites were identified on the volar forearm of participants and baseline TEWL measurements were recorded. Following baseline measurements, participants applied 0.2 g of each test material on their volar forearms once during the 24-hour study. TEWL measurements were recorded at four time increments within a 24-hour period. The skin test site conditions and treatments are described below (Table 2). The Base Lotion utilized in this study was Cetaphil[®] Moisturizing Cream for All Skin Types.

 Table 2. Descriptions of the Conditions and Treatments for each Skin Test Site

Skin Test Site	Condition	Treatment / Test Article Application Description
1	Untreated Control	None
2	Base Lotion	Base Lotion
3	2.0% ACB Modified Pomegranate Enzyme PF	2.0% ACB Modified Pomegranate Enzyme PF in Base Lotion

An average of three consecutive TEWL measurements per condition at each time point was recorded and expressed as $g/m^2/h$ for each volunteer. Data are displayed as averages from all volunteers and analyzed using t-tests with statistical significance accepted at $p \le 0.05$. The percent change in TEWL values was calculated for each test site at every timepoint relative to Baseline values, using the following equation:

$$Percent Change (\%) = \frac{TEWL_{Measurement Time} - TEWL_{Baseline}}{TEWL_{Baseline}} \times 100$$

<u>Results</u>

The data obtained from this study met criteria for a valid study as the Untreated Control and Base Lotion performed as anticipated. Application of 2.0% **ACB Modified Pomegranate Enzyme PF** once during a 24-hour period demonstrated effective immediate and short-term moisture retention properties by reducing TEWL throughout the study duration.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.



ACTIVE CONCEPTS LLC

107 Technology Drive, Lincolnton | NC 28092 USA • <u>info@activeconceptsllc.com</u> • Phone: +1-704-276-7100 • Fax: +1-704-276-7101 • <u>https://activeconceptsllc.com/</u>




Figure 1. TEWL Measurements Overtime

	Table 3. P-values from t-test Anal	yses of TEWL Values from Baseline to 2 Hours and 24 Hours After Application
--	------------------------------------	---

	Untreated Control	Base Lotion	2.0% ACB Modified Pomegranate Enzyme PF
2 Hours After Application	0.608	0.065	< 0.001
24 Hours After Application	0.385	0.535	0.060

Table 4. T-test Analysis of TEWL Values 2 Hours After Application


	Untreated Control vs Base Lotion	Untreated Control vs 2.0% ACB Modified Pomegranate Enzyme PF	Base Lotion vs 2.0% ACB Modified Pomegranate Enzyme PF
P-value	0.090	0.001	0.015


Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.



ACTIVE CONCEPTS LLC

107 Technology Drive, Lincolnton | NC 28092 USA • <u>info@activeconceptsllc.com</u> • Phone: +1-704-276-7100 • Fax: +1-704-276-7101 • <u>https://activeconceptsllc.com/</u>





Discussion

The ability of **ACB Modified Pomegranate Enzyme PF** to retain skin moisture was assessed via TEWL throughout 24 hours with one initial application. As shown in Figure 1 and 2, TEWL did not significantly change throughout the study with the Untreated Control test site, indicating consistent skin moisturization over 24 hours (Table 3). The Base Lotion slightly reduced TEWL two hours after application, but returned to baseline levels after 24 hours, indicating the Base Lotion has marginal moisture retention effect on the skin (Figures 1, 2; Table 3). Conversely, applying 2.0% ACB Modified Pomegranate Enzyme PF once in a 24-hour period significantly reduced TEWL by 39% two hours after application, but returned to baseline levels 24 hours after application (Figures 1, 2; Table 3). These results demonstrate ACB Modified Pomegranate Enzyme PF has effective immediate and short-term moisture retention properties.

Similar results are shown when examining the collective effect between each condition. There is no difference in TEWL between the Untreated Control and Base Lotion two hours after application (Figure 1; Table 4). However, applying 2.0% **ACB Modified Pomegranate Enzyme PF** significantly reduced TEWL compared to the Untreated Control and Base Lotion (Figure 1; Table 4). These results demonstrate **ACB Modified Pomegranate Enzyme PF** elicits acute moisture retention in the skin with just one application.

Taken together, these results indicate **ACB Modified Pomegranate Enzyme PF** reduces TEWL immediately when added to personal care applications at recommended use levels. Collectively, **ACB Modified Pomegranate Enzyme PF** demonstrates immediate and short-term moisture retention properties which improves the skin's protective barrier function and contributes to the appearance of healthier looking skin.

<u>References</u>

1. Sharma AN, Patel BC. Laser Fitzpatrick Skin Type Recommendations. [Updated 2022 Mar 9]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2022 Jan-. Available from: https://www.ncbi.nlm.nih.gov/books/NBK557626/

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.