



Anti-Pollution Assay Analysis

info@activeconceptsllc.com • Phone: +1-704-276-7100 • Fax: +1-704-276-7101

Tradename: AC Biopolymer Chia PF

Code: 21005PF

CAS #: 61788-47-4 & 93384-40-8

Test Request Form #: 3557

Lot #: NC170712-K

Sponsor: *Active Concepts, LLC; 107 Technology Drive Lincolnton, NC 28092*

Study Director: *Maureen Danaher*

Principle Investigator: *Jennifer Goodman*

Test Performed:

Pollution Protection Assay

Introduction

The role of pollution in the appearance of the premature wrinkles and age spots has become a new frontier in antiaging active ingredients. While we have known about the harmful effects of pollution on our health for years, new research indicates air pollution plays a detrimental role in extrinsic aging. Carbon and metal micro particles found in polluted air embed in the dermis causing oxidative stress, initiating the inflammatory cascade leading to the breakdown of collagen, elastin, and other structural components in the skin. Additionally, polyaromatic hydrocarbons overstimulate the aryl hydrocarbon receptors on keratinocytes and melanocytes resulting in hyperpigmentation and the appearance of age spots. Providing a physical barrier will prevent embedment of carbon particles, thus reducing the signs of extrinsic aging.

Our pollution protection assay was conducted to assess the ability of **AC Biopolymer Chia PF** to provide immediate protection from carbon air pollution.

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.



Materials

- | | |
|----------------------|---|
| A. Equipment: | Dissecting microscope; Digital camera; Pipettes |
| B. Reagents: | Micronized activated charcoal; Cetaphil Moisturizing for All Skin Types |
| C. Other: | Disposable pipette tips; wash bottles |

Methods

Volunteers, male and female, between the ages of 23 and 45 and who were known to be free of any skin pathologies participated in this study. All subjects were asked to apply 2 mg of each test material, experimental, control, and untreated on their volar forearms. Lotions were allowed to dry completely before the addition of 5 mg of micronized charcoal. The micronized charcoal used has a particle size of 2.5 microns (PM 2.5) or less that mimics the small particulates found in polluted air. Each treatment area was washed five times using deionized water. Images were taken pre- and post-wash using a dissecting microscope.


The test material consisted of 2.0% **AC Biopolymer Chia PF** in a Cetaphil Moisturizing for All Skin Types. For added perspective, images of an untreated test site and a site treated with Cetaphil Moisturizing for All Skin Types were recorded.

Color analysis was conducted on the images and results depicted in optical density values and pigmentation histograms. Images were inverted and standard coloration values recorded and assigned absorbance units. The lower the mean optical density value the better protection against carbon particle embedment or PM 2.5 inhibition.


Results

The data obtained from this study met criteria for a valid assay and the controls performed as anticipated.

AC Biopolymer Chia PF at a concentration of 2% was able to provide protection from carbon pollution.




Pre-Wash



Post-Wash

Figure 1: Histogram Images - Inhibition on PM 2.5;





Pre-Wash



Post-Wash



Figure 2: AC Biopolymer Chia PF Images



Pre-Wash

Post-Wash



Figure 3: Untreated Histogram Images - Inhibition on PM 2.5



Pre-Wash

Post-Wash

Figure 4: Untreated Images




Pre-Wash


Post-Wash

Figure 5: Base Lotion Histogram Images - Inhibition on PM 2.5

Information contained in this technical literature is believed to be accurate and is offered in good faith for the benefit of the customer. The company, however, cannot assume any liability or risk involved in the use of its chemical products since the conditions of use are beyond our control. Statements concerning the possible use of our products are not intended as recommendations to use our products in the infringement of any patent. We make no warranty of any kind, expressed or implied, other than that the material conforms to the applicable standard specification.



Pre-Wash



Post-Wash

Figure 6: Base Lotion Images

Discussion

As shown in figure 1, **AC Biopolymer Chia PF** was able to provide pollution protection as specified by micronized carbon residue. The small amount of carbon that remains compared to the untreated control indicates the ability of **AC Biopolymer Chia PF** to provide barrier protection against everyday air pollution and slow the extrinsic aging process. It can therefore be concluded that at normal use concentrations **AC Biopolymer Chia PF** can be used as a skin pollution protection active ingredient.